

KILLS ON CONTACT FROM 15 FEET AWAY USE OUTDOORS AND IN ATTICS & CRAWL SPACES ONLY

KILLS: Bees, Hornets, Yellowjackets, Spiders and Wasps

ACTIVE INGREDIENT:

Prallethrin [(RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate]	0.1%
OTHER INGREDIENTS*:	99.9%
TOTAL:	100.0%
* Contains Petroleum Distillate	

EPA Reg. No. 499-550

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

NET CONTENTS:

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709



	FIRST AID
lf in eyes	 Hold eyes open and rinse slowly and gently with water for 15 to 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 min. Call a poison control center or doctor for treatment advice.
If swallowed	 Immediately call a poison control center or doctor. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give any liquid to the person. DO NOT give anything by mouth to an unconscious person.
	HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-832-HELP (4357) for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and launder before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to bees exposed to direct treatment on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DO NOT apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment wash waters.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.


READ ALL DIRECTIONS COMPLETELY BEFORE USE.

USE RESTRICTIONS

- Use outdoors and in attics and crawl spaces only.
- When using in an attic, **DO NOT** contaminate stored items, HVAC systems, water heaters or other non-structural items.

APPLICATION INSTRUCTIONS

For optimum performance in overhead treatments, align the actuator opening with the mark on valve cup. When treating in a downward direction, align the actuator opening directly opposite the mark on valve cup.



WASPS AND HORNETS: Hold container in upright position. Stand a safe distance, 6 to 15 ft from the nest, and not directly underneath. Align actuator opening with the mark on the valve cup. Aim the actuator opening toward the nest with the wind at your back. Treat the nest until thoroughly wet. Contact wasps and hornets on the nest with spray when possible. The best time of day to treat is in evening or early morning, since wasps and hornets congregate on or in the nest at night.

YELLOWJACKETS AND BEES: Locate nest. Align actuator opening directly opposite the mark on the valve cup. Press down on the actuator and apply, using a sweeping motion, contacting any stimulated or stirred-up yellowjackets and bees around the nest opening. Then move forward to the nest opening and apply for 6 to 8 sec directly into the nest hole.

SPIDERS (including Black Widow and Brown

Recluse): Apply directly to spiders and/or webbing. Before applying, consider the surfaces for potential staining or residue that spray may contact.

INDUSTRIAL SPECIFICATIONS

Flame Projection: >18"; no flashback Dielectric Breakdown: 47,400 volts

Tested on Polyethylene, Polycarbonate, Noryl[®], ABS-T and ABS-SB4500 plastics with no damage.

May cause staining (darkening) of asphalt surfaces and shingles.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: DO NOT puncture or incinerate! Empty container by using the product in accordance with the label directions. **If empty:** Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. **If partly full:** Contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the Directions for Use. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES **EXPRESS OR IMPLIED, INCLUDING WARRANTIES** OF FITNESS FOR PARTICULAR PURPOSE OR **MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE** LIABILITY. WHETHER IN CONTRACT. TORT. NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813

PT and Wasp-Freeze are registered trademarks of BASF.

© 2014 BASF Corporation All rights reserved.

000499-00550.20140127.**NVA 2013-04-463-0323** Based on: NVA 2013-04-463-0322

Supersedes: 130903-21 BASF Corporation

26 Davis Drive Research Triangle Park, NC 27709



We create chemistry



Revision date : 2017/06/19 Version: 4.0 Page: 1/12 (30599963/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT WASP-FREEZE II WASP & HORNET INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	597802
EPA Registration number:	499-550
Synonyms:	Prallethrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

1

Asp. Tox.

Aspiration hazard

Label elements

Pictogram:

Revision date : 2017/06/19 Version: 4.0 Page: 2/12 (30599963/SDS_CPA_US/EN)



•		
Signal Word: Danger		
Hazard Statement: H304	May be fatal if swallowed and enters airways.	
Precautionary Statemer P301 + P310	nts (Response): IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P331	Do NOT induce vomiting.	
Precautionary Statements (Storage): P405 Store locked up.		
Precautionary Statemer P501	nts (Disposal): Dispose of contents/container to hazardous or special waste collection point.	

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
23031-36-9	0.1 %	Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-
		propen-1-yl)-, 2-methyl-4-oxo-3-(2-propyn-1-yl)-2-
		cyclopenten-1-yl ester
64742-47-8	75.0 - 100.0%	Distillates, petroleum
124-38-9	3.0 - 5.0%	carbon dioxide

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Revision date : 2017/06/19 Version: 4.0 Page: 3/12 (30599963/SDS_CPA_US/EN)

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Revision date : 2017/06/19 Version: 4.0 Page: 4/12 (30599963/SDS_CPA_US/EN)

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Segregate from foods and animal feeds.

Further information on storage conditions: Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Storage stability: May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet. Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

carbon dioxide	OSHA PEL	PEL 5,000 ppm 9,000 mg/m3 ; STEL value 30,000 ppm 54,000 mg/m3 ; TWA value 10,000 ppm 18,000 mg/m3 ;
	ACGIH TLV	STEL value 30,000 ppm;TWA value 5,000 ppm;

Distillates, petroleum

Revision date : 2017/06/19 Version: 4.0

Page: 5/12 (30599963/SDS_CPA_US/EN)

ACGIH TLV TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor);

Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol
Odour:	characteristic, of petroleum distillate (e.g. gasoline, kerosene)
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	colourless
pH value:	approx. 4.5 - 6.5
	(23.7 °C)
Melting point:	< -30 °C
	Information applies to the solvent.

sion date : 2017/06/19 ion: 4.0		Page: 6/1 (30599963/SDS_CPA_US/EN
Boiling point:	approx. 193 - 245 °C	
	Information applies to the solvent.	
Flash point:	73 °C	
	Information applies to the solvent.	
Flammability of Aerosol	> 18 in	(ASTM D 3065)
Products:	no flashback	(
NFPA 30B flammability:	Level 3 Aerosol	
Lower explosion limit:	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Lippor ovalogion limit:		
Upper explosion limit:	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
A () () (the intended use.	
Autoignition:	220 - 250 °C	
. <i>.</i>	Information applies to the solvent.	
Vapour pressure:	approx. 0.19 - 0.25 hPa	
	(20 °C)	
	Information applies to the solvent.	
Density:	approx. 0.8 g/cm3	
	(20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-	approx. 4.49	
octanol/water (log Pow):	(25 °C)	
	The values mentioned are those of	
	the active ingredient.	
Thermal decomposition:	carbon monoxide, carbon dioxide	
	Stable at ambient temperature. If proc	
	decomposition temperature toxic vapo	ours may be released. To
	avoid thermal decomposition, do not o	overheat.
	No decomposition if stored and handle	ed as
	prescribed/indicated.	
Viscosity, dynamic:	approx. 2.32 cps	
	(21.6 °C)	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other phy	vsical and chemical
	parameters is indicated in this section	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Revision date : 2017/06/19 Version: 4.0 Page: 7/12 (30599963/SDS_CPA_US/EN)

Possibility of hazardous reactions

The product is chemically stable. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, alkali or alkaline-earth metal strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products: No hazardous decomposition products if s

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off. Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion.

<u>Oral</u> Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

Inhalation Type of value: LC50 Species: rat (male/female) Value: > 2.08 mg/l Exposure time: 4 h

Dermal

Revision date : 2017/06/19 Version: 4.0 Page: 8/12 (30599963/SDS_CPA_US/EN)

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause moderate irritation to the skin.

<u>Skin</u> Species: rabbit Result: Irritant.

<u>Eye</u> Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. There is no evidence of a skin-sensitizing potential.

Buehler test Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: carbon dioxide

Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses. The substance may cause damage to the heart after repeated inhalation of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Revision date : 2017/06/19 Version: 4.0 Page: 9/12 (30599963/SDS_CPA_US/EN)

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: carbon dioxide

Assessment of teratogenicity: The potential to cause toxicity to development cannot be excluded at maternally toxic doses.

Other Information Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Prallethrin LC50 (96 h) 0.012 mg/l, Oncorhynchus mykiss The ecological data given are those of the active ingredient.

Aquatic invertebrates

Information on: Prallethrin EC50 (48 h) 0.0062 mg/l, daphnia

Aquatic plants

Information on: Prallethrin EC50 (72 h) 2 mg/l, algae

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Revision date : 2017/06/19 Version: 4.0 Page: 10/12 (30599963/SDS_CPA_US/EN)

Information on: Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methyl-1-propen-1-yl)-, 2-methyl-4oxo-3-(2-propyn-1-yl)-2-cyclopenten-1-yl ester

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Prallethrin

Information on: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

Accumulation in organisms is expected.

Mobility in soil

Assessment transport between environmental compartments No data available.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport USDOT	
Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS

Revision date : 2017/06/19 Version: 4.0 Page: 11/12 (30599963/SDS_CPA_US/EN)

Sea transport

IMDG	
Hazard class: ID number: Hazard label: Marine pollutant: Proper shipping name:	2.1 UN 1950 2.1, EHSM YES AEROSOLS (contains HYDROTREATED LIGHT DISTILLATES (PETROLEUM), PRALLETHRIN)
Air transport IATA/ICAO	
Hazard class:	2.1

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical	TSCA, US	blocked / not listed
Crop Protection	TSCA, US	released / exempt

EPCRA 311/312 (Hazard categories): Acute; Chronic; Fire; Sudden release of pressure

State regulations		
State RTK	CAS Number	Chemical name
PA	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum
MA	64742-47-8	Distillates, petroleum
	124-38-9	carbon dioxide
NJ	124-38-9	carbon dioxide
	64742-47-8	Distillates, petroleum

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. May cause moderate but temporary irritation to the eyes. Avoid contact with the skin, eyes and clothing.

Revision date : 2017/06/19 Version: 4.0 Page: 12/12 (30599963/SDS_CPA_US/EN)

Wash thoroughly after handling. Aerosol container contains flammable gas under pressure. Flammable Liquid

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2017/06/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY, BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET